



Quick Installation Guide

AG7448CU-R

Designed for high-capacity applications, Agema AG7448CU switch provides high-density low latency 10GbE connectivity on a resilient package making it ideal for enterprise and data center Top of the Rack (ToR) deployment.

1 Connect Console

AG7448CU-R supports (1) RJ45 type console port and (1) 10/100/1000 Mb/s inband management port.

To connect through console:

- Use appropriate RJ45 to RS232 cable.
- Download and install Tera term Pro terminal software.

If you are using usb in windows laptop/PC follow step 2.

2 Setup Console

Connect console cable to usb port Configure usb port to use com1 to 4 and speed 115k with default settings (windows device manager=>com port => usb).

Open tera term pro and press ENTER to view screen.


3 Login

At login prompt; "user:" enter admin and ENTER.

No password needed.

System will prompt as "Routing>>".
Enter "enable" at the prompt and system is ready.

Please download admin guide and follow further instructions,
<http://www.agemasystems.com/documentation.php>



For upload instructions on different
Network Operating Systems (NOS), please visit:
<http://www.agemasystems.com/documentation.php>



Choice of Standard Server Tools

Custom Apps

Choice of Network Stack



Choice of Linux Distro



www.agemasystems.com

Agema Systems, Inc. | 46101 Fremont Blvd | Fremont, CA | 94538